



Product type:

Combination Box

D100

Dimention:

265 x 355 x 142 mm

10.4 x 14 x 5.6 inch

CODE: 451.0012.0000.000

TECHNICAL DETAILS



Materials:

Plastic Opaque Cover: ABS RAL 7035 -Light Grey

Plastic Transparent Cover: Polycarbonate -Grey Transparent

Plastic Case Body: ABS RAL 7035 -Light Grey

Gasket: Polyurethane

Rating:

Standard: EN 60670-1

Ingress Protection (EN 60529): IP67


Impact Resistance (EN 60068-2-75): IK10

Electrical insulation: Totally insulated


Halogen Free

Temperatures:

Continuous °C : -25 ... +60 °C



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	1pcs	36x17x27cm	1.361kg	5.51
	Cardboard	12pcs	74x52x59cm	17.60kg	75.68

**451.0000.4160.028**2(4x16A) CEE IP44
8(1x16A) Schuko IP54**451.4160.3160.224**2(4x16A) CEE IP44 2(3x16A) CEE IP44
4(1x16A) Schuko IP54**451.3320.3160.224**2(3x32A) CEE IP44 2(3x16A) CEE IP44
4(1x16A) Schuko IP54**451.4160.4320.224**2(4x16A) CEE IP44 / 2(4x32A) CEE IP44
4(1x16A) Schuko IP54**451.5320.5160.224**2(5x32A) CEE IP44 / 2(5x16A) CEE IP44
4(1x16A) Schuko IP54**451.0000.5320.044**4(5x32A) CEE IP44
4(1x16A) Schuko IP54**451.0000.5321.040**

4(5x32A) CEE IP67

**451.3321.5321.220**2(3x32A) CEE IP67
2(5x32A) CEE IP67



451.4160.1160.224

2(4x16A) CEE IP44 / 2(1x16A) IP44
4(1x16A) Schuko IP54



451.0000.4160.042

4(4x16A) CEE IP44
2(1x16A) Schuko IP54



451.0000.3163.044

4(3x16A) IP44
4(1x16A) Schuko IP54



451.3323.3163.224

2(3x32A) IP44 / 2(3x16) IP44
4(1x16A) Schuko IP54



451.0000.3323.044

4(3x32A) IP44
4(1x16A) Schuko IP54



451.4320.4250.222

2(4x32A) CEE IP44 / 2(4x25) IP44
2(1x16A) Schuko IP54



451.0000.4320.046

4(4x32A) CEE IP44
6(1x16) Schuko IP54



451.0000.4321.044

4(3x32A) CEE IP67
4(1x16A) Schuko IP54



451.4631.4321.222

2(4x63A) CEE IP67 / 2(4x32A) CEE IP67
2(1x16A) Schuko IP54

**451.0000.4630.028**

2(4x63A) CEE IP44

8(1x16A) Schuko IP54

**451.5320.5160.222**


2(5x32A) CEE IP44 / 2(5x16A) CEE IP44

2(1x16A) Schuko IP54

**451.0000.5321.046**

4(5x32A) CEE IP67

6(1x16A) Schuko IP54

**451.5631.5321.222**

2(5x63A) CEE IP67 / 2(5x32A) CEE IP67

2(1x16A) Schuko IP54



Product type:

Combination Box

D100

Dimention:

265 x 355 x 142 mm

10.4 x 14 x 5.6 inch

CODE: 351.0012.0000.000

TECHNICAL DETAILS



Materials:

Plastic Opaque Cover: ABS RAL 7035 -Light Grey

Plastic Transparent Cover: Polycarbonate -Grey Transparent

Plastic Case Body: ABS RAL 7035 -Light Grey

Gasket: Polyurethane

Rating:

Standard: EN 60670-1

Ingress Protection (EN 60529): IP44


Impact Resistance (EN 60068-2-75): IK10

Electrical insulation: Totally insulated

Halogen Free

Temperatures:

Continuous °C : -25 ... +60 °C



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	1pcs	36x17x27cm	1.361kg	5.51
	Cardboard	12pcs	74x52x59cm	17.60kg	75.68



351.0000.4160.028
2(4x16A) CEE IP44
8(1x16A) Schuko IP54



351.4160.3160.224
2(4x16A) CEE IP44 2(3x16A) CEE IP44
4(1x16A) Schuko IP54



351.3320.3160.224
2(3x32A) CEE IP44 2(3x16A) CEE IP44
4(1x16A) Schuko IP54



351.4160.4320.224
2(4x16A) CEE IP44 / 2(4x32A) CEE IP44
4(1x16A) Schuko IP54



351.5320.5160.224
2(5x32A) CEE IP44 / 2(5x16A) CEE IP44
4(1x16A) Schuko IP54



351.0000.5320.044
4(5x32A) CEE IP44
4(1x16A) Schuko IP54



351.0000.5321.040
4(5x32A) CEE IP67



351.3321.5321.220
2(3x32A) CEE IP67
2(5x32A) CEE IP67

**351.4160.1160.224**2(4x16A) CEE IP44 / 2(1x16A) IP44
4(1x16A) Schuko IP54**351.0000.4160.042**4(4x16A) CEE IP44
2(1x16A) Schuko IP54**351.0000.3163.044**4(3x16A) IP44
4(1x16A) Schuko IP54**351.3323.3163.224**2(3x32A) IP44 / 2(3x16) IP44
4(1x16A) Schuko IP54**351.0000.3323.044**4(3x32A) IP44
4(1x16A) Schuko IP54**351.4320.4250.222**2(4x32A) CEE IP44 / 2(4x25) IP44
2(1x16A) Schuko IP54**351.0000.4320.046**4(4x32A) CEE IP44
6(1x16) Schuko IP54**351.0000.4321.044**4(3x32A) CEE IP67
4(1x16A) Schuko IP54**351.4631.4321.222**2(4x63A) CEE IP67/2(4x32A) CEE IP67
2(1x16A) Schuko IP54




351.0000.4630.028
2(4x63A) CEE IP44
8(1x16A) Schuko IP54



351.5320.5160.222
2(5x32A) CEE IP44 / 2(5x16A) CEE IP44
2(1x16A) Schuko IP54



351.0000.5321.046
4(5x32A) CEE IP67
6(1x16A) Schuko IP54



351.5631.5321.222
2(5x63A) CEE IP67/ 2(5x32A) CEE IP67
2(1x16A) Schuko IP54