



Product type:

Combination Box

K150

Dimention:

117 x 213 x 75 mm

4.6 x 8.4 x 2.9 inch

CODE: 454.0004.0000.000

TECHNICAL DETAILS



Materials:

Plastic Opaque Cover: ABS RAL 7035 -Light Grey

Plastic Transparent Cover: Polycarbonate -Grey Transparent

Plastic Case Body: ABS RAL 7035 -Light Grey

Gasket: Polyurethane

Rating:

Standard: EN 60670-1

Ingress Protection (EN 60529): IP44


Impact Resistance (EN 60068-2-75): IK10

Electrical insulation: Totally insulated

Halogen Free

Temperatures:

Continuous °C : -25 ... +60 °C



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	6pcs	24x36x17cm	2.562kg	4.9
	Cardboard	84pcs	74x52x59cm	33.2kg	75.68



454.0000.3160.012
1(3x16A) CEE IP44
2(1x16A) Schuko IP54



454.0000.4160.012
1(4x16A) CEE IP44
2(1x16A) Schuko IP54



454.0000.5160.012
1(5x16A) CEE IP44
2(1x16A) Schuko IP54



454.0000.3320.012
1(3x32A) CEE IP44
2(1x16A) Schuko IP54



454.0000.4320.012
1(4x32A) CEE IP44
2(1x16A) Schuko IP54



454.0000.5320.012
1(5x32A) CEE IP44
2(1x16A) Schuko IP54



454.0000.3163.012
1(3x16A) IP44
2(1x16A) Schuko IP54



454.0000.3323.012
1(3x32A) IP44
2(1x16A) Schuko IP54



454.0000.3321.010
1(3x32A) CEE IP67



454.0000.4321.010
1(4x32A) CEE IP67



454.0000.5321.010
1(5x32A) CEE IP67