

Modular British Sockets with Cable

Double Sockets for Cable Trunking

250 V ~

13 A


2P + 

CODE: 340.002.003


TECHNICAL DETAILS



Designation:	2 ps. BS Socket 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	BS 1363
Weight:	67 gr
Cover-Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Connection Cables:	H07V-K
Contact Material:	MS 63 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	50pcs	24x36x17cm	3620kg	4.90
	Cardboard	600pcs	60x75x52cm	43.440kg	78



Modular British Sockets with Cable

Triple Sockets for Cable Trunking

250 V ~

13 A


2P + 

CODE: 340.003.003


TECHNICAL DETAILS



Designation:	3 ps. BS Socket 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	BS 1363
Weight:	101 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Connection Cables:	H07V-K
Contact Material:	MS 63 Brass
Usage Type:	Modules used in socket strip (Push-in installation)
Method of Mounting:	Portable non-rewirable



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	40pcs	24x36x17cm	4.310kg	4.90
	Cardboard	480pcs	60x75x52cm	51.720kg	78



Modular British Sockets with Cable

Quadruple Sockets for Cable Trunking

250 V ~

13 A


2P + 

CODE: 340.004.003

TECHNICAL DETAILS



Designation:	4 ps. BS Socket 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	BS 1363
Weight:	135 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Connection Cables:	H07V-K
Contact Material:	MS 63 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	30pcs	24x36x17cm	4.320kg	4.90
	Cardboard	360pcs	60x75x52cm	51.840kg	78



Modular British Sockets with Cable

Double Sockets for Cable Trunking

250 V ~

13 A


2P + 

CODE: 342.002.003

TECHNICAL DETAILS



Designation:	2 ps. BS Socket 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	BS 1363
Weight:	78 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Connection Cables:	H07V-K
Contact Material:	MS 63 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	50pcs	24x36x17cm	4.170kg	4.90
	Cardboard	600pcs	60x75x52cm	50.440kg	78



Modular British Sockets with Cable

Triple Sockets for Cable Trunking

250 V ~

13 A


2P + 

CODE: 342.003.003


TECHNICAL DETAILS



Designation:	3 ps. BS Socket 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	BS 1363
Weight:	114 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Connection Cables:	H07V-K
Contact Material:	MS 63 Brass
Usage Type:	Modules used in socket strip (Push-in installation)
Method of Mounting:	Portable non-rewirable



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	40pcs	24x36x17cm	4.830kg	4.90
	Cardboard	480pcs	60x75x52cm	57.960kg	78



Modular British Sockets with Cable

Quadruple Sockets for Cable Trunking

250 V ~

13 A


2P + 

CODE: 342.004.003

TECHNICAL DETAILS



Designation:	4 ps. BS Socket 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	BS 1363
Weight:	154 gr
Cover-Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Connection Cables:	H07V-K
Contact Material:	MS 63 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	30pcs	24x36x17cm	4.890kg	4.90
	Cardboard	360pcs	60x75x52cm	58.680kg	78