



Modular Schuko Sockets with Cable

Double Socket for Cable Trunking

200 - 250 V ~

16 A


2P + 

CODE: 310.002.003


TECHNICAL DETAILS



Designation:	2 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	62 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	50pcs	24x36x17cm	3.330kg	4.90
	Cardboard	600pcs	60x75x52cm	40.440kg	78



Modular Schuko Sockets with Cable

Triple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 310.003.003


TECHNICAL DETAILS



Designation:	3 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	90 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	40pcs	24x36x17cm	3.870kg	4.90
	Cardboard	480pcs	60x75x52cm	46.400kg	78



Modular Schuko Sockets with Cable

Quadruple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + 

CODE: 310.004.003

TECHNICAL DETAILS



Designation:	4 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	120 gr
Cover-Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	30pcs	24x36x17cm	3.870kg	4.90
	Cardboard	360pcs	60x75x52cm	46.440kg	78



Modular Schuko Sockets with Cable

Double Socket for Cable Trunking

with Child Protection

200 - 250 V ~

16 A


2P + 

CODE: 310.002.103


TECHNICAL DETAILS



Designation:	2 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	64 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	50pcs	24x36x17cm	3.470kg	4.90
	Cardboard	600pcs	60x75x52cm	41.640kg	78



Modular Schuko Sockets with Cable

Triple Socket for Cable Trunking

with Child Protection

200 - 250 V ~

16 A


2P + 

CODE: 310.003.103


TECHNICAL DETAILS



Designation:	3 ps. German Schuko Socket Type F 2P+E with Child Protection
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Cable:	260 mm
Weight:	94 gr.
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	40pcs	24x36x17cm	4.030kg	4.90
	Cardboard	480pcs	60x75x52cm	48.360kg	78



Modular Schuko Sockets with Cable

Quadruple Socket for Cable Trunking

with Child Protection

200 - 250 V ~

16 A


2P + $\perp$

CODE: 310.004.103

TECHNICAL DETAILS



Designation:	4 ps. German Schuko Socket Type F 2P+E with Child Protection
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Cable:	260 mm
Weight:	124 gr.
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	30pcs	24x36x17cm	3.990kg	4.90
	Cardboard	360pcs	60x75x52cm	47.880kg	78



Modular Schuko Socket with Terminal

Double Socket for Cable Trunking

200 - 250 V ~

16 A



2P + 

CODE: 311.002.003

TECHNICAL DETAILS



Designation:	2 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	68 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	50pcs	24x36x17cm	3.670kg	4.90
	Cardboard	600pcs	60x75x52cm	44.040kg	78



Modular Schuko Sockets with Cable

Triple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + $\perp$

CODE: 311.003.003

TECHNICAL DETAILS



Designation:	3 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	100 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	40pcs	24x36x17cm	4.270kg	4.90
	Cardboard	480pcs	60x75x52cm	51.240kg	78



Modular Schuko Sockets with Cable

Quadruple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 311.004.003

TECHNICAL DETAILS



Designation:	4 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	127 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	30pcs	24x36x17cm	4.080kg	4.90
	Cardboard	360pcs	60x75x52cm	48.960kg	78



Modular Schuko Socket with Terminal

Double Socket for Cable Trunking

with Child Protection

200 - 250 V ~

16 A


2P + $\perp$

CODE: 311.002.103

TECHNICAL DETAILS



Designation:	2 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	70 gr
Casing-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	50pcs	24x36x17cm	3.770kg	4.90
	Cardboard	600pcs	60x75x52cm	45.240kg	78



Modular Schuko Socket with Terminal

Triple Socket for Cable Trunking

with Child Protection

200 - 250 V ~

16 A


2P + 

CODE: 311.003.103

TECHNICAL DETAILS



Designation:	3 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	103 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	40pcs	24x36x17cm	4.390kg	4.90
	Cardboard	480pcs	60x75x52cm	52.680kg	78



Modular Schuko Socket with Terminal

Quadruple Socket for Cable Trunking

with Child Protection

200 - 250 V ~

16 A


2P + $\perp$

CODE: 311.004.103

TECHNICAL DETAILS



Designation:	4 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	131 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	30pcs	24x29x16cm	4.200kg	4.90
	Cardboard	360pcs	58x50x49cm	50.400kg	78



Modular Schuko Socket with Double Terminal

Double Socket for Cable Trunking

200 - 250 V ~

16 A


2P + 

CODE: 312.002.003


TECHNICAL DETAILS



Designation:	2 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	80 gr
Cover-Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	50pcs	24x36x17cm	4.270kg	4.90
	Cardboard	600pcs	60x75x52cm	51.240kg	78



Modular Schuko Socket with Double Terminal

Triple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 312.003.003

TECHNICAL DETAILS



Designation:	3 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	108 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	40pcs	24x29x16cm	4.590kg	4.90
	Cardboard	480pcs	58x50x49cm	55.080kg	78



Modular Schuko Socket with Double Terminal

Quadruple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + 

CODE: 312.004.003

TECHNICAL DETAILS



Designation:	4 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	141 gr
Case-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	30pcs	24x29x16cm	4.500kg	4.90
	Cardboard	360pcs	58x50x49cm	54.000kg	78



Modular Schuko Socket with Double Terminal

Double Socket for Cable Trunking

with Child Protection

200 - 250 V ~

16 A


2P + 

CODE: 312.002.103


TECHNICAL DETAILS



Designation:	2 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	83 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	50pcs	24x36x17cm	4.420g	4.90
	Cardboard	600pcs	60x75x52cm	53.040kg	78



Modular Schuko Socket with Double Terminal

Double Socket for Cable Trunking

with Child Protection

200 - 250 V ~

16 A


2P + 

CODE: 312.003.103

TECHNICAL DETAILS



Designation:	3 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	110 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	40pcs	24x29x16cm	4.670kg	4.90
	Cardboard	480pcs	58x50x49cm	56.040kg	78



Modular Schuko Socket with Double Terminal

Quadruple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 312.004.103

TECHNICAL DETAILS



Designation:	4 ps. German Schuko Socket Type F 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	146 gr
Case-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	30pcs	24x29x16cm	4.650kg	4.90
	Cardboard	360pcs	58x50x49cm	55.800kg	78