

Modular UTE Sockets with Cable

Double Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 350.002.102

TECHNICAL DETAILS



Designation:	French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	66 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



Packing Details:

	Inner Quantity	Dimensions	Gross Weight	CBM
Box	50pcs	24x36x17cm	3.570kg	4.90
Cardboard	600pcs	60x75x52cm	42.840kg	78



Modular UTE Sockets with Cable

Triple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + $\perp$

CODE: 350.003.102

TECHNICAL DETAILS



Designation:	3 ps. French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	95 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	40pcs	24x36x17cm	4.070kg	4.90
	Cardboard	480pcs	60x75x52cm	48.840kg	78



Modular Schuko Sockets with Cable

Quadruple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + $\perp$

CODE: 350.004.102


TECHNICAL DETAILS



Designation:	4 ps. French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	125 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	30pcs	24x36x17cm	4.020kg	4.90
	Cardboard	360pcs	60x75x52cm	48.240kg	78



Modular UTE Sockets with Terminal

Double Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 351.002.102

TECHNICAL DETAILS



Designation:	French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	73 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	50pcs	24x36x17cm	3.920kg	4.90
	Cardboard	600pcs	60x75x52cm	47.040kg	78



Modular UTE Sockets with Terminal

Triple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + $\perp$

CODE: 351.003.102

TECHNICAL DETAILS



Designation:	3 ps. French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	164 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	40pcs	24x36x17cm	6.380kg	6.38
	Cardboard	480pcs	60x75x52cm	81.960kg	81.96



Modular Schuko Sockets with Cable

Quadruple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 351.004.102


TECHNICAL DETAILS



Designation:	4 ps. French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	136 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
 Packing Details:	Box	30pcs	24x36x17cm	4.350kg	4.90
	Cardboard	360pcs	60x75x452cm	52.200kg	78



Modular UTE Sockets with Double Terminal

Double Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 352.002.102

TECHNICAL DETAILS



Designation:	French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	85 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	50pcs	24x36x17cm	4.520kg	4.90
	Cardboard	600pcs	60x75x52cm	54.240kg	78



Modular UTE Sockets with Double Terminal

Triple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 352.003.102


TECHNICAL DETAILS



Designation:	3 ps. French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	114 gr
Casy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	40pcs	24x36x17cm	4.830kg	4.90
	Cardboard	480pcs	60x75x52cm	57.960kg	78



Modular Schuko Sockets with Cable

Quadruple Socket for Cable Trunking

200 - 250 V ~

16 A


2P + ⏏

CODE: 352.004.102

TECHNICAL DETAILS



Designation:	4 ps. French Schuko Socket Type E 2P+E
Connection Method:	3-Pole Screw Terminal 16A Max (2,5mm ²)
Standard:	DIN 49440-1:2006-01
Weight:	144 gr
Easy-Cover Plastic Material:	PA6
Contact-Contacting Plastic Material:	PA6
Screw:	Cq - 22
Contact Material:	MS 58 Brass



		Inner Quantity	Dimensions	Gross Weight	CBM
Packing Details:	Box	30pcs	24x36x17cm	4.590kg	4.90
	Cardboard	360pcs	60x75x52cm	55.080kg	78